

Summary of Residents without water (1-6-11)

| Name | Survey Summary | Hazardous Substances Present* | Comparison Value | Comparison Value Source | Maximum |
|--|--|--|---|--|--|
| 1. <div>Ex. 6 - Personal Privacy</div> | 2 adults , 1 teenager, water buffalo (well disconnected) using donated bottled water for drinking. Delivery of water to buffalo discontinued by donor parties. | 1)DEHP 2)Glycols 3) 2-Methoxyethanol 4)Manganese 5) Barium | 1) 600/2,000 ug/L 2) 8,000/30,000 ug/L 3) None Established 4) 50 ug/L 5) 2,000/7,000 ug/L | 1)ATSDR Child/Adult Chronic EMEG 2)ATSDR Child/Adult Intermediate EMEG 3) None 4) EPA SMCL 5) ATSDR Child/Adult Chronic EMEG | 1) 2.3 ug/L 2) 4700J ug/L 3) 1300J ug/L 4) 96.5 ug/L 5) 219 ug/L |
| 2. <div>Ex. 6 - Personal Privacy</div> | 2 adults, no children, water buffalo (well not being used) using donated bottled water for drinking. Delivery to water buffalo discontinued by donor parties | Arsenic | 3/10 ug/L | ATSDR Child/Adult Chronic EMEG | 1.8J ug/L |

| | | | | | | |
|----|--------------------------|---|--|--|---|--|
| 3. | Ex. 6 - Personal Privacy | 2 adults, no children, water buffalo (well not being used) using donated bottled water for drinking. Delivery to water buffalo discontinued by donor parties. Pumping water from the creek to the water buffalo | 1) Glycols 2) 2-Methoxyethanol 3) Arsenic 4) Manganese 5) Sodium | 1) 8000/30,000 ug/L 2) None Established 3) 3/10 ug/L 4) 50 ug/L 5) 20,000 ug/L | 1) ATSDR Child/Adult Intermediate EMEG 2) None 3) ATSDR Child/Adult Chronic EMEG 4) EPA SMCL 5) EPA Drinking Water Advisory | 1) ~1620 ug/L 2) 1100J ug/L 3) 2.4J ug/L 4) 76J ug/L 5) 110,000 ug/L |
|----|--------------------------|---|--|--|---|--|

| | | | | | | |
|----|--------------------------|--|--|--|---|---|
| 4. | Ex. 6 - Personal Privacy | 4 adults, no children, water buffalo (well not being used) using donated bottled water for drinking. Delivery to water buffalo discontinued by donor parties. | 1) Glycols 2) 2-Methoxyethanol 3) Arsenic 4) Manganese 5) Sodium | 1) 8000/30,000 ug/L 2) None Established 3) 3/10 ug/L 4) 50 ug/L 5) 20,000 ug/L | 1) ATSDR Child/Adult Intermediate EMEG 2) None Established 3) ATSDR Child/Adult Chronic EMEG 4) EPA SMCL 5) EPA Drinking Water Advisory | 1) 630J ug/L 2) 880J ug/L 3) 7.2B ug/L 4) 628 ug/L 5) 82,900 ug/L |
| 5. | Ex. 6 - Personal Privacy | 3 adults, no children, not using water buffalo, using well water for everything but drinking and cooking buying their own bottled water for drinking and cooking. High sediment noted in their filter. | 1) Arsenic 2) Manganese | 1) 3/10 ug/L 2) 50 ug/L | 1) ATSDR Child/Adult Chronic EMEG 2) EPA SMCL | 1) 1.3 ug/L 2) 212 ug/L |

| | | | | | | |
|----|--------------------------|--|--|---|---|---|
| 6. | Ex. 6 - Personal Privacy | 2 adults, water buffalo (well not being used) using donated bottled water for drinking. Delivery to water buffalo discontinued by donor parties. | 1) DEHP 2) Arsenic 3) Manganese 4) Sodium | 1) 600/2,000 ug/L 2) 3/10 ug/L 3) 50 ug/L 4) 20,000 ug/L | 1) ATSDR Child/Adult Chronic EMEG 2) ATSDR Child/Adult Chronic EMEG 3) EPA SMCL 4) EPA Drinking Water Advisory | 1) 22 ug/L 2) 6.5 ug/L 3) 669 ug/L 4) 131,000 ug/L |
| 7. | Ex. 6 - Personal Privacy | 2 adults, water buffalo (well not being used) using donated bottled water for drinking. Delivery to water buffalo discontinued by donor parties. | 1) Glycols 2) Arsenic 3) Manganese | 1) 8000/30,000 ug/L 2) 3/10 ug/L 3) 50 ug/L | 1) ATSDR Child/Adult Intermediate EMEG 2) ATSDR Child/Adult Chronic EMEG 3) EPA SMCL | 1) 3400J ug/L 2) 3.1 ug/L 3) 1360 ug/L |

| | | | | | | |
|----|--------------------------|--|---|--|--|--|
| 8. | Ex. 6 - Personal Privacy | <p>3 adults</p> <p>Ex. 6 - Personal Privacy</p> <p>Ex. 6 - Personal Privacy</p> <p>water buffalo disconnected. Well back in use for non-potable uses. Bottle water used for drinking and cooking. Resident installed filter system (not sure it is certified for potential contaminants)</p> | <p>1)DEHP</p> <p>2)Arsenic</p> <p>3)Manganese</p> <p>4)Sodium</p> | <p>1) 600/2,000 ug/L</p> <p>2) 3/10 ug/L</p> <p>3) 50 ug/L</p> <p>4) 20,000 ug/L</p> | <p>1) ATSDR Child/Adult Chronic EMEG</p> <p>2) ATSDR Child/Adult Chronic EMEG</p> <p>3) EPA SMCL</p> <p>4) EPA Drinking Water Advisory</p> | <p>1) 2.61 ug/L</p> <p>2) 37 ug/L</p> <p>3) 413 ug/L</p> <p>4) 36,800 ug/L</p> |
|----|--------------------------|--|---|--|--|--|

* Note, other chemicals of concern to ATSDR are present in all of these wells.